

Ref:

ORLIR2MFX-WH-9016-NL

Item No: ORLIR – 14698

orlight[®]
FROM SOURCE TO SITE

Round thin twin trim fixed downlight, features round minimalistic design with 'thin trim' bezel to appear almost trimless in-situ. This round minimalist fixture does not compromise on technical performance with magnetic lamp change facility. An anti-glare baffle functions to enhance visual comfort. Orlight does not recommend cutting of holes prior to receipt of product in hand.



DIMENSIONS

OPTICAL PERFORMANCE

LOR	62
-----	----

CONSTRUCTION

Installation	RECESSED
Construction	ALUMINIUM
Length	180 MM
Width / Depth	90 MM
Height	67 MM
Cutout	81 MM X 2
Tilt	FIXED
Finish	WHITE
RAL	RAL 9016
IP Rating	IP20
Compatible Light Source	GU10 / ENGINE
Lamp Change	MAGNETIC MECHANISM


EMERGENCY

Emergency	AVAILABLE
Emergency Configuration	REMOTE

ORLIR2MFX-IP20



FIXED




ORLIR2MFX-WH-9016-NL

Item No: ORLIR – 14698

orlight[®]
FROM SOURCE TO SITE

ADDITIONAL DIMENSIONS



COMPATIBLE GU10 LAMP



LX4 - SWITCHED



LX5 - MAINS DIMMABLE

COMPATIBLE LED ENGINE



DB6-R999



DB8-R999



DB8-F-R999



DB11-R999



DB13-R999

ORLIR2MFX-WH-9016-NL

Item No: ORLIR – 14698


ACCESSORIES



MC1
11894
Standard Mains Converter



MC1-SL-WL
11901
Slim Spring Mains Converter for Orlight Classic, Twist & Lock & Shower series.



LOUVRE-HC
11753
Honeycomb Louvre